




NOTE:
 ~APPLY 250-033537 COPPER GASKET TO ALL FLARED FITTINGS
 ~SEE ASSEMBLY INFORMATION/UFP DISC BRAKES
 ~PULL 250-026782 AS TIGHT & CLOSE TO THE TORSION BRACKET AS POSSIBLE

★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:


TA102B 23R 8400# ELE/HYD D2X

E-Z-LOADER
 RIGHT TRAILERS
 PROPRIETARY AND
 CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
 07-01-21

ECN:
 1225

BASE NUMBER:
 K*ZAHWT



NOTE:
 ~ 250-034918 IS ROUTED FORWARD FROM
 WINCHSTAND THROUGH HOLE IN SIDE OF
 TONGUE BELOW WINCHSTAND
 ~APPLY 250-028691 WIRELOOM TO WINCHSTAND
 HARNESS

★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:

TA102B 23R 8400# ELE/HYD D2X

EX-LOADER
 FRONT TRAILERS
 PROPRIETARY AND
 CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
 07-01-21

ECN:
 1225

BASE NUMBER:
 K*ZAHWT