




NOTE:
 ~WASHERS TO BE APPLIED IN ALL APPLICATION WHERE ALUMINUM SURFACES CONTACT BOLT HEADS & NUTS
 ~GROMMET TO BE APPLIED WHERE NECESSARY TO PROTECT WIRING
 ~SEE RETRO TAPE INFO PAGE
 ~ALL FASTENERS ARE STAINLESS STEEL

DESCRIPTION:

TIA102B 29RN 13000 ELE/HYD D3X




EFFECTIVE DATE:
 07-01-21

ECN: 1225
 BASE NUMBER: K*ZHJ4Z

★ INDICATES CHANGE ON EFFECTIVE DATE

NOTE:
 ~APPLY 250-033537 COPPER GASKET TO ALL FLARED FITTINGS
 ~SEE ASSEMBLY INFORMATION/UFP DISC BRAKES
 ~PULL 250-026782 AS TIGHT & CLOSE TO THE TORSION BRACKET AS POSSIBLE



★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:


TIA102B 29RN 13000 ELE/HYD D3X

E-Z-LOADER
 FLAT TRAILERS
 PROPRIETARY AND
 CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
 07-01-21

ECN:
 1225

BASE NUMBER:
 K*ZHJ4Z



★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:

TIA102B 29RN 13000 ELE/HYD D3X

EX-LOADER
RIGHT TRAILERS
PROPRIETARY AND
CONFIDENTIAL INFORMATION

EFFECTIVE DATE:

07-01-21

ECN:

1225

BASE NUMBER:

K*ZHJ4Z