





NOTE:
 ~APPLY 250-033537 COPPER GASKETS TO ALL FLARED FITTINGS
 ~PULL 250-026782 AS TIGHT & CLOSE TO THE TORSION BRACKET AS POSSIBLE



NOTE:
 RUN 250-010140 BEHIND THE
 BATTERY BOW AND UNDER
 300-031204

★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:


TIEZ102SB 31 16300# ELE/HYD D3X

EX-LOADER
 RIGHT TRAILERS
 PROPRIETARY AND
 CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
 06-07-21

ECN:
 1210

BASE NUMBER:
 K*ZLT8N



★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:



TIEZ102SB 31 16300# ELE/HYD D3X

EX-LOADER
RIGHT TRAILERS
PROPRIETARY AND
CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
06-07-21

ECN:
1210

BASE NUMBER:
K*ZLT8N



NOTE:
INSTALLED AT MALTBY
CENTER 2X3X15" BLACK UHMW ON THE CMBR
MNT WITH 3/8X5 1/2" FLAT HEAD PHILLIPS BOLT, LOCK WSHR & NUR

★ INDICATES CHANGE ON EFFECTIVE DATE

DESCRIPTION:

TIEZ102SB 31 16300# ELE/HYD D3X

E-Z-LOADER
RIGHT TRAILERS
PROPRIETARY AND
CONFIDENTIAL INFORMATION

EFFECTIVE DATE:
06-07-21

ECN:
1210

BASE NUMBER:
K*ZLT8N